

Drug Name	Common/Other Names/Trade names	What we Test for in Urine	Refrigerate Immediately (Post-Collection)	Freeze at -20°C (Post-Collection)	Detection Period if stored at Room Temp.	TAT (Hrs) (Post-Receiving)	Notes
Alcohol	Alcohol, Ethanol	EtG & EtS	up to 7 Days	Up to 2 Weeks	1-5 Days	48	Months for heavy Drinking. Either/Or/Both can be Positive. Illicit Drug
Amphetamine	Adderall, Benzedrine, Dexedrine, Vyvanase	Amphetamine	up to 7 Days	Up to 2 Weeks	1-5 days	48	
Methamphetamine	Crystal Meth, Didrex, Ice, Crank.	Methamphetamine, Amphetamine	up to 7 Days	Up to 2 Weeks	1-5 Days	48	Illicit Drug
Heroin	Black Tar, Brown Sugar, Dragon, H, Horse, Tar.	6-MAM	up to 7 Days	Up to 2 Weeks	1 Day	48	Illicit Drug
Morphine	Avinza, Kadian, MS Cotin, MSER, MSIR, Roxanol, Kapanol	Morphine, Hydromorphone	up to 7 Days	Up to 2 Weeks	1- 7 Days*	48	* for Heavy/Regular User.
Codeine	Tylenol + Codeine, Hycodan, Lorcet, Lortab, Norco, Vicodin, Vicoprofen	Codeine, Hydrocodone	up to 7 Days	Up to 2 Weeks	1-3 Days	48	
Buprenorphine	Buprenex, Butrans, Suboxone, Subutex	Buprenorphine	up to 7 Days	Up to 2 Weeks	2 Weeks	48	
Cocaine (Benzoylecgonine)	Blow, Coke, Crack, Snow	Benzoylecgonine	up to 7 Days	Up to 2 Weeks	1-7 Days	48	Upto 16 days for Heavy/ Chronic user. Illicit Drug
Fentanyl	Actiq, Duragesic, Fentora, Sublimaze	Fentanyl	up to 7 Days	Up to 2 Weeks	1-3 Days	48	longer for Heavy/Chronic user
Norfentanyl	Fentanyl Metabolite	Norfentanyl	up to 7 Days	Up to 2 Weeks	1-3 Days	48	
Methylenedioxyamphetamin (MDMA)	MDMA, X, Ecstasy, Molly	MDMA	up to 7 Days	Up to 2 Weeks	1-3 Days	48	Illicit Drug
Hydrocodone	Hydrocet, Lorcet, Lortab, Norco, Vicodin, Vicoprofen.	Hydrocodone, Hydromorphone	up to 7 Days	Up to 2 Weeks	1-3 Days	48	
Hydromorphone	Dilaudid, Hydrostat, Exalgo, Hymorphan	Hydromorphone	up to 7 Days	Up to 2 Weeks	1-3 Days	48	
Meperidine	Demerol	Meperidine	up to 7 Days	Up to 2 Weeks	1-4 Days	48	
Methadone	Dolophine, Methadose, Symoron, Amidone	Methadone	up to 7 Days	Up to 2 Weeks	1-14 Days	48	
EDDP	Methadone Metabolite	EDDP	up to 7 Days	Up to 2 Weeks	1-14 Days	48	
Oxycodone	OxyContin, OxyIR, Percocet, Percodan, Tylox, Roxicodone	Oxycodone	up to 7 Days	Up to 2 Weeks	1-3 Days	48	
Oxymorphone	Numorphan, Opana,	Oxymorphone	up to 7 Days	Up to 2 Weeks	1-3 Days	48	
Propoxyphene	Darvon, Darvocet, Wygesic	Propoxyphene	up to 7 Days	Up to 2 Weeks	1-4 Days	48	
Tapentadol	Nucynta	Tapentadol	up to 7 Days	Up to 2 Weeks	1-3 Days	48	

Tramadol	Ultram, Tramadol, Ultracet, Ryzolt	Tramadol	up to 7 Days	Up to 2 Weeks	1-3 Days	48	
Alprazolam	Xanax	Alprazolam	up to 7 Days	Up to 2 Weeks	1-4 Days	48	
Alpha-hydroxyalprazolam	Alprazolam metabolite	a-Hydroxyalprazolam	up to 7 Days	Up to 2 Weeks	1-4 Days	48	
Carisoprodol	Carisoma, Soma, Soprodoal	Carisoprodol	up to 7 Days	Up to 2 Weeks	1-4 Days	48	
Clonazepam	Clonopin, Klonopin	Clonazepam	up to 7 Days	Up to 2 Weeks	1-4 Days	48	
Meprobamate	Miltown	Meprobamate	up to 7 Days	Up to 2 Weeks	1-7 Days	48	
Nordiazepam		Nordiazepam	up to 7 Days	Up to 2 Weeks	1-10 Days	48	
Oxazepam	Alepam, Medopam, Serax	Oxazepam	up to 7 Days	Up to 2 Weeks	1-7 Days	48	
Diazepam	Valium, Diastat	Diazepam	up to 7 Days	Up to 2 Weeks	1-7 Days	48	
Lorazepam	Ativan	Lorazepam	up to 7 Days	Up to 2 Weeks	1-7 Days	48	
Temazepam	Restoril, Normison	Temazepam	up to 7 Days	Up to 2 Weeks	1-4 Days	48	
Marijuana	Marinol, Weed, Cannabis, Ganja, Hashish, Pot, Dronabinol	THCA	up to 7 Days	Up to 2 Weeks	1-45 Days	48	Illicit Drug
Phencyclidine (PCP)	Angel Dust, Sernylan	PCP	up to 7 Days	Up to 2 Weeks	1-7 Days	48	30 Days for Heavy/Chronic user

Please note this is not an exhaustive list. Detection windows may vary depending on multiple factors, such as: Urine PH, Bacteria, Dosing, Body Mass, Duration of Use, Enzyme metabolism, Pharmacokinetics, other Analytes and etc. Please interpret with caution.

